

SUPPLEMENTARY MATERIAL S2

TABLE S2 | Sample size in each length class for seven species captured in Baixada Maranhense Protection Area, Legal Amazon, between January 2012 and December 2016.

Species	Length class	Sample size
<i>Cichla monoculus</i>	10–15	2
	15–20	85
	20–25	127
	25–30	68
	30–35	12
	35–40	3
<i>Hassar affinis</i>	9–11	4
	11–13	41
	13–15	91
	15–17	55
	17–19	35
<i>Hoplias malabaricus</i>	12–16	8
	16–20	112
	20–24	308
	24–28	149
	28–32	31
	32–36	12
	36–40	2
<i>Plagioscion squamosissimus</i>	16–20	196
	20–24	157
	24–28	84
	28–32	27
	32–36	7
<i>Prochilodus lacustris</i>	36–40	1
	12–15	102
	15–18	297
	18–21	130
<i>Pygocentrus nattereri</i>	21–24	15
	11–13	11
	13–15	78
	15–17	109
	17–19	55
	19–21	20
	21–23	2
	16–19	41
	19–22	113
22–25	91	
<i>Schizodon dissimilis</i>	25–28	61
	28–31	14
	31–34	10
	34–37	0
	37–40	4



This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

Distributed under
Creative Commons CC-BY 4.0

© 2021 The Authors.
Diversity and Distributions Published by SBI



Official Journal of the
Sociedade Brasileira de Ictiologia

HOW TO CITE THIS ARTICLE

- **Carvalho IFS, Cantanhêde LG, Diniz ALC, Carvalho-Neta RNF, Almeida ZS.** Reproductive biology of seven fish species of commercial interest at the Ramsar site in the Baixada Maranhense, Legal Amazon, Brazil. *Neotrop Ichthyol.* 2021; 19(2):e200067. <https://doi.org/10.1590/1982-0224-2020-0067>