

Supplementary Table S1 - Sociodemographic characterization of the samples in which the PID-5-SRF was administered online and in paper-and-pencil formats

Variables	Online administration n = 274		Paper-and-pencil administration n = 730		Statistic (p-value)
	n	%	n	%	
Sex					0.09
Male	73	26.60	235	32.20	
Female	201	73.40	495	67.80	
Age (mean; SD)	34.76 (11.63)		33.84 (15.15)		0.31
Children					0.47
No	163	59.50	453	62.10	
Yes	110	40.10	265	36.30	
Not reported	1	0.40	12	1.60	
Marital status					0.01*
No partner	161	58.80	493	67.50	
With partner	103	37.60	227	31.10	
Not reported	10	3.60	10	1.40	
Schooling (years)					0.003*
Up to 12	58	21.20	223	30.50	
>12	215	78.50	507	69.50	
Not reported	1	0.40	0	0.00	
Working condition					0.85
Paid job [†]	220	80.30	590	80.80	
Unemployed	53	19.30	130	17.80	
Not reported	1	0.40	10	1.40	
Health problems					< 0.001*
No	167	60.90	570	78.10	
Yes, in the past	19	6.90	54	7.40	
Yes, currently	87	31.80	101	13.80	
Not reported	1	0.40	5	0.70	
Psychiatric diagnosis					< 0.001*
No	185	67.50	624	85.50	
Yes	88	32.10	100	13.70	
Not reported	1	0.40	6	0.80	
Psychotherapy					< 0.001*
No	118	43.10	461	63.20	
Yes, in the past	100	36.50	166	22.70	
Yes, currently	56	20.40	93	12.70	
Not reported	0	0.00	10	1.40	
Continuous use of medications					0.01*
No	151	55.10	467	64.00	
Yes	123	44.90	259	35.50	
Not reported	0	0.00	4	0.50	

Tobacco consumption					0.59
No	229	83.60	624	85.50	
Yes, in the past	26	9.50	43	5.90	
Yes, currently	19	6.90	54	7.40	
Not reported	0	0.00	9	1.20	
Alcohol consumption					0.001*
No	88	32.10	316	43.30	
Yes, in the past	25	9.10	37	5.10	
Yes, currently	161	58.80	370	50.70	
Not reported	0	0.00	7	0.90	
Troubles with the law					0.43
No	265	96.70	713	97.70	
Yes	9	3.30	11	1.50	
Not reported	0	0.00	6	0.80	

PID-5-SRS = Personality Inventory for DSM-5 - Self Reported Form; SD = standard deviation.

* Statistical significance.

† Employed individuals and students.

Supplementary Table S2 - Raw scores, distribution measures, item-total correlation, and test-retest reliability of the PID-5-SRS – Online administration (n = 274)

Item	Raw scores		Distribution measure				Item-total correlation	T/R ICC (95%)
	Mean	SD	Asym	SE	Kurt	SE		
P1	1.42	0.99	-0.09	0.15	-1.09	0.29	0.54	0.65 (0.49-0.77)
P2	0.37	0.72	1.90	0.15	2.80	0.29	0.31	0.55 (0.35-0.70)
P3	0.45	0.78	1.60	0.15	1.49	0.29	0.40	0.54 (0.34-0.69)
P4	1.08	0.88	0.31	0.15	-0.81	0.29	0.50	0.59 (0.39-0.72)
P5	0.98	1.07	0.62	0.15	-1.01	0.29	0.64	0.75 (0.61-0.84)
P6	1.22	1.02	0.33	0.15	-1.03	0.29	0.44	0.64 (0.47-0.77)
P7R	0.97	0.97	0.53	0.15	-0.91	0.29	0.02	0.33 (0.09-0.53)
P8	1.16	1.08	0.33	0.15	-1.24	0.29	0.36	0.68 (0.52-0.79)
P9	1.22	0.90	0.16	0.15	-0.84	0.29	0.35	0.61 (0.43-0.74)
P10	1.32	1.03	0.09	0.15	-1.18	0.29	0.49	0.52 (0.32-0.68)
P11	0.08	0.35	5.28	0.15	30.77	0.29	0.29	0.82 (0.72-0.89)
P12	1.05	1.06	0.61	0.15	-0.89	0.29	0.31	0.75 (0.62-0.84)
P13	0.74	0.95	1.04	0.15	-0.06	0.29	0.38	0.71 (0.57-0.81)
P14	0.67	0.84	0.98	0.15	0.00	0.29	0.45	0.52 (0.32-0.68)
P15	0.93	0.93	0.57	0.15	-0.76	0.29	0.31	0.43 (0.21-0.61)
P16	0.78	0.84	0.81	0.15	-0.12	0.29	0.50	0.71 (0.56-0.81)
P17	0.76	0.84	0.73	0.15	-0.51	0.29	0.53	0.70 (0.55-0.81)
P18	1.43	1.09	0.04	0.15	-1.30	0.29	0.66	0.65 (0.48-0.77)
P19	0.34	0.71	2.11	0.15	3.72	0.29	0.39	0.71 (0.56-0.81)
P20	1.74	1.07	-0.37	0.15	-1.09	0.29	0.50	0.78 (0.66-0.86)
P21	0.86	1.00	0.77	0.15	-0.69	0.29	0.65	0.70 (0.55-0.81)
P22	0.93	0.85	0.61	0.15	-0.31	0.29	0.55	0.54 (0.35-0.69)
P23	0.99	0.99	0.57	0.15	-0.86	0.29	0.60	0.59 (0.40-0.73)
P24	0.77	0.94	0.87	0.15	-0.47	0.29	0.65	0.66 (0.50-0.78)
P25	0.69	0.92	0.99	0.15	-0.28	0.29	0.61	0.71 (0.56-0.81)
P26	0.96	0.99	0.65	0.15	-0.74	0.29	0.58	0.65 (0.48-0.77)
P27	1.17	1.14	0.42	0.15	-1.27	0.29	0.64	0.64 (0.48-0.77)
P28	1.12	0.96	0.45	0.15	-0.77	0.29	0.57	0.65 (0.48-0.77)

P29	0.99	0.95	0.52	0.15	-0.84	0.29	0.56	0.60 (0.42-0.73)
P30R	1.3	1.00	0.21	0.15	-1.03	0.29	0.20	0.75 (0.62-0.84)
P31	0.26	0.60	2.34	0.15	4.94	0.29	0.42	0.56 (0.37-0.71)
P32	0.92	0.99	0.69	0.15	-0.70	0.29	0.48	0.65 (0.49-0.78)
P33	0.88	1.01	0.74	0.15	-0.74	0.29	0.67	0.65 (0.48-0.77)
P34	1.16	1.04	0.34	0.15	-1.11	0.29	0.33	0.57 (0.38-0.72)
P35R	1.53	1.13	-0.01	0.15	-1.38	0.29	-0.13	0.57 (0.38-0.71)
P36	0.46	0.84	1.73	0.15	1.91	0.29	0.50	0.55 (0.35-0.70)
P37	0.2	0.59	3.22	0.15	10.25	0.29	0.42	0.73 (0.59-0.83)
P38	1.5	0.97	0.01	0.15	-0.98	0.29	0.53	0.78 (0.66-0.86)
P39	0.33	0.71	2.23	0.15	4.37	0.29	0.31	0.56 (0.36-0.70)
P40	0.48	0.80	1.65	0.15	1.87	0.29	0.31	0.69 (0.54-0.80)
P41	0.38	0.69	1.80	0.15	2.56	0.29	0.48	0.72 (0.57-0.82)
P42	0.46	0.79	1.69	0.15	2.01	0.29	0.40	0.51 (0.31-0.67)
P43	0.81	0.89	0.69	0.15	-0.67	0.29	0.51	0.41 (0.19-0.60)
P44	0.21	0.57	2.83	0.15	7.31	0.29	0.39	0.24 (0.00-0.46)
P45	0.89	0.95	0.69	0.15	-0.66	0.29	0.50	0.47 (0.25-0.64)
P46	0.88	0.92	0.80	0.15	-0.26	0.29	0.37	0.36 (0.13-0.56)
P47	0.92	1.02	0.84	0.15	-0.46	0.29	0.36	0.69 (0.53-0.80)
P48	0.46	0.73	1.47	0.15	1.35	0.29	0.37	0.75 (0.63-0.84)
P49	1.42	0.98	0.02	0.15	-1.01	0.29	0.28	0.52 (0.31-0.67)
P50	1.27	1.06	0.26	0.15	-1.18	0.29	0.38	0.28 (0.00-0.52)
P51	1.23	1.03	0.29	0.15	-1.08	0.29	0.43	0.53 (0.33-0.69)
P52	0.77	0.95	0.87	0.15	-0.50	0.29	0.68	0.75 (0.62-0.84)
P53	0.3	0.61	1.96	0.15	2.94	0.29	0.48	0.62 (0.44-0.75)
P54	0.22	0.55	2.53	0.15	5.84	0.29	0.40	0.53 (0.33-0.68)
P55	0.56	0.82	1.25	0.15	0.49	0.29	0.63	0.72 (0.59-0.82)
P56	0.43	0.75	1.63	0.15	1.66	0.29	0.43	0.67 (0.51-0.79)
P57	0.43	0.82	1.85	0.15	2.34	0.29	0.26	0.74 (0.60-0.83)
P58R	0.76	0.83	0.75	0.15	-0.41	0.29	0.32	0.65 (0.49-0.77)
P59	1.09	1.07	0.36	0.15	-1.26	0.29	0.38	0.49 (0.28-0.66)
P60	0.77	0.84	0.87	0.15	0.06	0.29	0.52	0.36 (0.13-0.56)
P61	1.45	1.10	0.06	0.15	-1.30	0.29	0.65	0.61 (0.43-0.74)
P62	1.32	1.09	0.21	0.15	-1.26	0.29	0.55	0.75 (0.38-0.72)
P63	0.86	0.83	0.53	0.15	-0.69	0.29	0.40	0.50 (0.30-0.67)
P64	0.32	0.70	2.29	0.15	4.76	0.29	0.37	0.77 (0.65-0.85)
P65	1.06	1.02	0.43	0.15	-1.06	0.29	0.32	0.57 (0.38-0.72)
P66	0.93	1.07	0.71	0.15	-0.89	0.29	0.63	0.59 (0.40-0.73)
P67	0.55	0.79	1.16	0.15	0.20	0.29	0.24	0.61 (0.44-0.75)
P68	1.03	0.98	0.56	0.15	-0.77	0.29	0.58	0.62 (0.44-0.75)
P69	1.11	0.95	0.36	0.15	-0.89	0.29	0.28	0.34 (0.10-0.54)
P70	0.79	0.99	0.88	0.15	-0.55	0.29	0.62	0.80 (0.69-0.87)
P71	0.75	0.96	0.95	0.15	-0.34	0.29	0.68	0.69 (0.54-0.80)
P72	0.26	0.63	2.56	0.15	6.13	0.29	0.35	0.47 (0.25-0.64)
P73	0.24	0.59	2.77	0.15	7.67	0.29	0.32	0.31 (0.07-0.51)
P74	0.64	0.85	1.13	0.15	0.35	0.29	0.43	0.65 (0.49-0.77)
P75	0.99	0.96	0.59	0.15	-0.70	0.29	0.47	0.61 (0.44-0.75)
P76	0.54	0.81	1.31	0.15	0.67	0.29	0.48	0.69 (0.54-0.80)
P77	0.38	0.69	1.66	0.15	1.72	0.29	0.34	0.37 (0.14-0.57)
P78	0.88	0.93	0.69	0.15	-0.63	0.29	0.41	0.63 (0.45-0.76)
P79	1.77	1.07	-0.39	0.15	-1.09	0.29	0.48	0.53 (0.33-0.68)
P80	0.96	0.93	0.62	0.15	-0.56	0.29	0.57	0.59 (0.41-0.73)
P81	0.41	0.80	1.89	0.15	2.57	0.29	0.57	0.76 (0.63-0.84)

P82	1.17	1.02	0.26	0.15	-1.16	0.29	0.64	0.59 (0.40-0.73)
P83	1.33	1.10	0.19	0.15	-1.31	0.29	0.71	0.66 (0.50-0.78)
P84	0.44	0.78	1.69	0.15	1.86	0.29	0.34	0.40 (0.17-0.58)
P85	0.87	0.91	0.64	0.15	-0.69	0.29	0.38	0.58 (0.39-0.72)
P86	1.28	1.11	0.26	0.15	-1.30	0.29	0.47	0.68 (0.52-0.79)
P87R	1.69	1.03	-0.25	0.15	-1.06	0.29	-0.14	0.44 (0.22-0.62)
P88	0.97	1.01	0.62	0.15	-0.83	0.29	0.52	0.60 (0.42-0.73)
P89	0.58	0.92	1.45	0.15	0.88	0.29	0.37	0.62 (0.44-0.75)
P90R	0.81	1.11	0.98	0.15	-0.59	0.29	0.07	0.08 (-0.16-0.32)
P91	0.91	1.03	0.76	0.15	-0.71	0.29	0.26	0.55 (0.35-0.67)
P92	1.34	1.05	0.16	0.15	-1.17	0.29	0.44	0.72 (0.59-0.82)
P93	1.34	1.13	0.19	0.15	-1.35	0.29	0.64	0.54 (0.34-0.69)
P94	1.11	1.13	0.45	0.15	-1.26	0.29	0.41	0.53 (0.33-0.69)
P95	1.43	1.11	0.04	0.15	-1.33	0.29	0.61	0.66 (0.50-0.78)
P96R	2.5	0.74	-1.39	0.15	1.26	0.29	0.10	0.63 (0.46-0.76)
P97R	0.84	0.98	0.99	0.15	-0.06	0.29	0.23	0.51 (0.30-0.67)
P98R	0.65	0.80	1.02	0.15	0.25	0.29	0.19	0.48 (0.26-0.64)
P99	0.84	1.11	0.92	0.15	-0.68	0.29	0.31	0.60 (0.42-0.74)
P100	0.92	1.02	0.75	0.15	-0.66	0.29	0.56	0.73 (0.59-0.82)
P101	1.04	1.07	0.48	0.15	-1.18	0.29	0.48	0.60 (0.42-0.74)
P102	1.96	1.02	-0.51	0.15	-0.96	0.29	0.00	0.74 (0.61-0.83)
P103	1.65	1.00	-0.21	0.15	-1.00	0.29	0.46	0.39 (0.16-0.57)
P104	1.3	1.14	0.22	0.15	-1.40	0.29	0.63	0.70 (0.55-0.80)
P105	1.24	1.04	0.20	0.15	-1.20	0.29	0.47	0.57 (0.38-0.72)
P106	0.6	0.95	1.41	0.15	0.73	0.29	0.37	0.67 (0.51-0.79)
P107	1.05	1.00	0.40	0.15	-1.08	0.29	0.28	0.63 (0.45-0.75)
P108	0.4	0.79	1.97	0.15	2.91	0.29	0.38	0.54 (0.38-0.70)
P109	2.11	0.98	-0.74	0.15	-0.60	0.29	0.51	0.66 (0.49-0.78)
P110	1.9	1.08	-0.55	0.15	-0.99	0.29	0.51	0.70 (0.55-0.81)
P111	0.87	1.01	0.71	0.15	-0.84	0.29	0.16	0.56 (0.36-0.70)
P112	1.38	0.93	0.04	0.15	-0.89	0.29	0.14	0.51 (0.30-0.67)
P113	0.67	0.87	1.10	0.15	0.25	0.29	0.31	0.54 (0.35-0.69)
P114	0.58	0.78	1.09	0.15	0.11	0.29	0.27	0.55 (0.36-0.70)
P115	0.95	1.03	0.61	0.15	-0.98	0.29	0.18	0.55 (0.35-0.70)
P116	0.59	0.84	1.19	0.15	0.33	0.29	0.45	0.41 (0.19-0.60)
P117	1.64	1.01	-0.18	0.15	-1.06	0.29	0.36	0.56 (0.37-0.71)
P118	1.35	1.01	0.13	0.15	-1.10	0.29	0.58	0.69 (0.54-0.80)
P119	0.46	0.83	1.73	0.15	1.91	0.29	0.54	0.67 (0.51-0.79)
P120	0.88	0.98	0.75	0.15	-0.63	0.29	0.30	0.66 (0.49-0.78)
P121	1.33	1.01	0.10	0.15	-1.12	0.29	0.63	0.75 (0.62-0.84)
P122	1.68	1.07	-0.25	0.15	-1.18	0.29	0.21	0.68 (0.53-0.80)
P123	1.01	1.02	0.51	0.15	-1.01	0.29	0.36	0.61 (0.43-0.74)
P124	1.17	1.06	0.35	0.15	-1.15	0.29	0.66	0.59 (0.40-0.73)
P125	0.39	0.73	1.83	0.15	2.38	0.29	0.39	0.76 (0.64-0.85)
P126	0.77	0.91	0.98	0.15	-0.01	0.29	0.46	0.68 (0.52-0.79)
P127	0.88	1.05	0.84	0.15	-0.64	0.29	0.32	0.53 (0.32-0.68)
P128	0.71	0.84	1.00	0.15	0.20	0.29	0.60	0.49 (0.28-0.66)
P129	0.62	0.89	1.27	0.15	0.54	0.29	0.34	0.59 (0.40-0.73)
P130	2.09	1.02	-0.77	0.15	-0.63	0.29	0.51	0.85 (0.76-0.90)
P131R	1.69	0.94	0.01	0.15	-1.02	0.29	0.32	0.67 (0.51-0.79)
P132	1.5	1.01	0.02	0.15	-1.07	0.29	0.47	0.73 (0.59-0.82)
P133	0.98	0.98	0.58	0.15	-0.79	0.29	0.60	0.62 (0.44-0.75)
P134	0.15	0.43	3.05	0.15	8.88	0.29	0.44	0.54 (0.34-0.69)

P135	1.46	1.07	0.07	0.15	-1.23	0.29	0.38	0.64 (0.48-0.77)
P136	0.87	0.90	0.65	0.15	-0.60	0.29	0.39	0.53 (0.33-0.68)
P137	1.03	0.94	0.48	0.15	-0.78	0.29	0.51	0.41 (0.18-0.59)
P138	1.04	1.06	0.57	0.15	-0.97	0.29	0.69	0.61 (0.44-0.75)
P139	0.22	0.59	3.07	0.15	9.36	0.29	0.39	0.49 (0.29-0.66)
P140	1.41	1.03	0.06	0.15	-1.14	0.29	0.37	0.57 (0.38-0.71)
P141	1.16	1.07	0.33	0.15	-1.22	0.29	0.58	0.69 (0.53-0.80)
P142R	0.61	0.77	1.10	0.15	0.53	0.29	0.17	0.29 (0.06-0.50)
P143	0.41	0.82	1.94	0.15	2.61	0.29	0.23	0.66 (0.50-0.78)
P144	1.19	1.03	0.32	0.15	-1.09	0.29	0.54	0.68 (0.52-0.79)
P145	0.56	0.88	1.47	0.15	1.12	0.29	0.39	0.52 (0.32-0.68)
P146	0.7	0.93	1.13	0.15	0.19	0.29	0.41	0.71 (0.57-0.81)
P147	1.04	1.01	0.57	0.15	-0.82	0.29	0.39	0.62 (0.45-0.75)
P148	0.58	0.90	1.35	0.15	0.61	0.29	0.59	0.85 (0.80-0.92)
P149	0.51	0.82	1.47	0.15	1.15	0.29	0.40	0.67 (0.51-0.72)
P150	0.66	0.94	1.14	0.15	0.05	0.29	0.25	0.35 (0.12-0.55)
P151	0.91	1.01	0.75	0.15	-0.66	0.29	0.66	0.63 (0.45-0.75)
P152	0.64	0.90	1.17	0.15	0.24	0.29	0.66	0.80 (0.69-0.87)
P153	0.26	0.61	2.38	0.15	4.83	0.29	0.36	0.48 (0.27-0.65)
P154	0.32	0.73	2.24	0.15	4.02	0.29	0.45	0.04 (-0.21-0.28)
P155R	1.54	1.01	0.04	0.15	-1.09	0.29	0.51	0.55 (0.35-0.70)
P156	0.49	0.77	1.36	0.15	0.76	0.29	0.43	0.58 (0.40-0.72)
P157	0.88	0.97	0.72	0.15	-0.64	0.29	0.70	0.67 (0.51-0.78)
P158	1.24	1.02	0.27	0.15	-1.06	0.29	0.54	0.65 (0.49-0.77)
P159	0.44	0.73	1.56	0.15	1.52	0.29	0.38	0.54 (0.34-0.69)
P160	0.5	0.84	1.57	0.15	1.36	0.29	0.39	0.68 (0.51-0.80)
P161	1.04	0.98	0.43	0.15	-0.98	0.29	0.51	0.66 (0.50-0.78)
P162	0.37	0.71	1.99	0.15	3.34	0.29	0.48	0.52 (0.32-0.68)
P163	0.86	1.02	0.80	0.15	-0.68	0.29	0.66	0.67 (0.51-0.78)
P164R	1.75	0.95	-0.33	0.15	-0.79	0.29	-0.07	0.41 (0.18-0.59)
P165	1.53	1.04	-0.12	0.15	-1.15	0.29	0.17	0.66 (0.50-0.78)
P166	0.24	0.57	2.54	0.15	6.21	0.29	0.39	0.47 (0.25-0.64)
P167	1.06	1.00	0.41	0.15	-1.05	0.29	0.40	0.76 (0.63-0.85)
P168	1.19	1.08	0.39	0.15	-1.15	0.29	0.70	0.60 (0.42-0.74)
P169	0.57	0.90	1.35	0.15	0.56	0.29	0.61	0.86 (0.78-0.91)
P170	0.54	0.80	1.32	0.15	0.78	0.29	0.53	0.53 (0.33-0.68)
P171	0.87	0.99	0.78	0.15	-0.60	0.29	0.51	0.60 (0.42-0.73)
P172	0.64	0.89	1.13	0.15	0.10	0.29	0.71	0.71 (0.56-0.81)
P173	0.64	0.85	1.10	0.15	0.17	0.29	0.29	0.53 (0.33-0.68)
P174	1.49	1.07	-0.04	0.15	-1.25	0.29	0.57	0.63 (0.47-0.76)
P175	0.74	0.90	0.95	0.15	-0.13	0.29	0.21	0.49 (0.27-0.65)
P176	1.24	1.03	0.29	0.15	-1.07	0.29	0.33	0.63 (0.46-0.76)
P177R	1.55	1.07	-0.15	0.15	-1.23	0.29	0.13	0.14 (-0.11-0.37)
P178	0.32	0.72	2.35	0.15	4.77	0.29	0.52	0.65 (0.48-0.77)
P179	1.35	1.03	0.07	0.15	-1.19	0.29	0.02	0.52 (0.32-0.68)
P180	0.7	0.90	0.96	0.15	-0.28	0.29	0.28	0.65 (0.48-0.77)
P181	1.04	1.04	0.54	0.15	-0.96	0.29	0.66	0.69 (0.54-0.80)
P182	0.85	0.99	0.84	0.15	-0.48	0.29	0.56	0.58 (0.39-0.72)
P183	0.41	0.72	1.80	0.15	2.63	0.29	0.25	0.80 (0.67-0.87)
P184	0.79	0.94	0.89	0.15	-0.32	0.29	0.40	0.77 (0.64-0.85)
P185	0.62	0.87	1.10	0.15	-0.03	0.29	0.67	0.64 (0.47-0.77)
P186	1.11	1.04	0.40	0.15	-1.10	0.29	0.45	0.66 (0.50-0.78)
P187	0.47	0.79	1.59	0.15	1.58	0.29	0.35	0.43 (0.20-0.61)

P188	1.55	1.05	-0.04	0.15	-1.19	0.29	0.51	0.64 (0.45-0.76)
P189	0.92	0.96	0.72	0.15	-0.53	0.29	0.53	0.52 (0.32-0.68)
P190	0.94	1.00	0.63	0.15	-0.85	0.29	0.54	0.66 (0.50-0.78)
P191	0.96	1.03	0.66	0.15	-0.82	0.29	0.47	0.50 (0.29-0.66)
P192	0.2	0.57	2.90	0.15	7.71	0.29	0.37	0.64 (0.47-0.76)
P193	1.05	1.11	0.56	0.15	-1.11	0.29	0.66	0.75 (0.62-0.84)
P194	0.82	1.03	0.85	0.15	-0.65	0.29	0.48	0.63 (0.46-0.76)
P195	0.43	0.74	1.62	0.15	1.79	0.29	0.31	0.43 (0.21-0.61)
P196	1.05	0.99	0.44	0.15	-0.99	0.29	0.29	0.66 (0.50-0.78)
P197	0.36	0.73	1.99	0.15	3.15	0.29	0.30	0.58 (0.40-0.72)
P198	0.07	0.30	4.62	0.15	22.56	0.29	0.18	0.50 (0.29-0.66)
P199	1.05	1.00	0.62	0.15	-0.70	0.29	0.56	0.72 (0.57-0.82)
P200	0.32	0.66	2.23	0.15	4.72	0.29	0.45	0.68 (0.53-0.79)
P201	0.5	0.87	1.63	0.15	1.54	0.29	0.42	0.61 (0.42-0.74)
P202	1	0.94	0.51	0.15	-0.77	0.29	0.35	0.51 (0.30-0.67)
P203	0.54	0.84	1.54	0.15	1.58	0.29	0.40	0.50 (0.29-0.66)
P204	1.13	1.02	0.35	0.15	-1.08	0.29	0.50	0.67 (0.51-0.78)
P205	0.73	0.96	1.00	0.15	-0.30	0.29	0.67	0.87 (0.80-0.92)
P206	0.3	0.62	1.97	0.15	2.92	0.29	0.44	0.50 (0.29-0.66)
P207	0.36	0.74	2.09	0.15	3.69	0.29	0.29	0.49 (0.27-0.65)
P208	0.48	0.82	1.71	0.15	2.03	0.29	0.47	0.64 (0.47-0.77)
P209	0.7	0.98	1.14	0.15	0.02	0.29	0.49	0.72 (0.57-0.82)
P210R	0.32	0.61	2.05	0.15	4.17	0.29	0.34	0.85 (0.77-0.91)
P211	0.68	0.87	1.03	0.15	0.04	0.29	0.33	0.51 (0.31-0.67)
P212	1.09	1.09	0.47	0.15	-1.17	0.29	0.66	0.69 (0.53-0.80)
P213	0.78	1.01	0.98	0.15	-0.36	0.29	0.61	0.74 (0.61-0.84)
P214	0.68	0.91	1.20	0.15	0.44	0.29	0.54	0.77 (0.65-0.85)
P215R	1.21	1.04	0.28	0.15	-1.14	0.29	-0.01	0.52 (0.31-0.68)
P216	0.77	0.92	0.94	0.15	-0.15	0.29	0.50	0.46 (0.25-0.64)
P217	0.32	0.68	2.17	0.15	4.13	0.29	0.51	0.63 (0.46-0.76)
P218	0.42	0.69	1.56	0.15	1.69	0.29	0.48	0.43 (0.21-0.61)
P219	0.19	0.49	2.85	0.15	8.25	0.29	0.42	0.60 (0.42-0.74)
P220	1.35	1.04	0.06	0.15	-1.20	0.29	0.31	0.53 (0.33-0.69)

Asym = asymmetry; ICC = intraclass correlation coefficient; Kurt = kurtosis; PID-5-SRS = Personality Inventory for DSM-5 - Self Reported Form; R= items with inverted scores already computed; SD = standard deviation; SE= standard error; T/R = test-retest reliability.

Supplementary Table S3 - Percentage of responses in the different response categories of the PID-5-SRS items – Online administration (n = 274)

Item	Score			
	0	1	2	3
P1	23.7	24.1	39.1	13.1
P2	74.8	15.0	8.4	1.8
P3	70.8	15.7	11.3	2.2
P4	29.9	37.6	27.4	5.1
P5	46.7	20.4	21.2	11.7
P6	29.6	32.5	24.1	13.9
P7R	41.6	27.0	24.5	6.9
P8	37.6	22.3	26.6	13.5
P9	24.1	36.9	31.8	7.3
P10	27.7	25.9	32.5	13.9
P11	94.5	3.6	1.5	0.4

P12	39.4	29.9	16.8	13.9
P13	54.0	24.8	14.2	6.9
P14	53.6	28.5	15.0	2.9
P15	40.9	30.7	22.6	5.8
P16	44.5	36.5	15.3	3.6
P17	47.4	31.4	18.6	2.6
P18	26.6	24.5	28.5	20.4
P19	77.4	13.1	7.3	2.2
P20	17.9	19.0	33.9	29.2
P21	49.6	22.6	19.7	8.0
P22	35.0	42.0	18.2	4.7
P23	41.2	27.7	22.3	8.8
P24	52.9	22.6	19.0	5.5
P25	57.7	19.7	18.2	4.4
P26	42.0	29.2	19.7	9.1
P27	39.4	23.0	19.0	18.6
P28	30.7	36.9	22.3	10.2
P29	39.1	30.3	23.7	6.9
P30R	25.5	32.8	27.7	13.9
P31	81.0	12.4	5.8	0.7
P32	44.2	27.7	19.7	8.4
P33	48.5	23.0	20.1	8.4
P34	34.7	27.0	26.3	12.0
P35R	24.1	25.9	23.4	26.6
P36	71.9	14.2	9.5	4.4
P37	87.2	7.3	3.6	1.8
P38	17.2	33.2	32.1	17.5
P39	78.1	13.1	6.2	2.6
P40	68.2	19.3	8.8	3.6
P41	72.3	18.6	7.7	1.5
P42	47.1	28.1	21.2	3.6
P43	86.5	6.9	5.8	0.7
P44	86.5	6.9	5.8	0.7
P45	44.5	28.5	20.4	6.6
P46	41.6	35.8	15.3	7.3
P47	44.5	31.0	12.8	11.7
P48	66.4	22.6	9.5	1.5
P49	20.8	30.7	33.9	14.6
P50	30.3	28.5	25.2	16.1
P51	30.3	30.3	25.9	13.5
P52	53.3	21.9	19.3	5.5
P53	77.4	15.3	6.9	0.4
P54	83.6	10.9	5.1	0.4
P55	62.4	21.5	13.5	2.6
P56	71.2	16.4	10.6	1.8
P57	74.5	12.4	9.1	4.0
P58R	46.7	33.2	17.5	2.6
P59	41.2	19.0	28.8	10.9
P60	44.9	37.2	13.9	4.0
P61	25.2	27.0	25.5	22.3
P62	29.6	27.4	24.5	18.6
P63	39.8	36.5	21.2	2.6
P64	78.1	13.9	5.5	2.6

P65	39.1	25.5	25.9	9.5
P66	48.9	20.4	19.3	11.3
P67	62.0	22.3	14.2	1.5
P68	37.2	32.5	20.8	9.5
P69	31.8	33.6	26.3	8.4
P70	54.4	19.3	19.0	7.3
P71	55.1	21.2	17.5	6.2
P72	82.5	10.6	5.5	1.5
P73	83.2	11.3	4.0	1.5
P74	56.6	26.6	13.1	3.6
P75	38.0	33.2	20.4	8.4
P76	63.5	21.2	12.8	2.6
P77	72.6	17.2	9.5	0.7
P78	44.5	29.2	20.4	5.8
P79	17.2	19.3	32.8	30.7
P80	38.0	35.4	19.7	6.9
P81	74.8	12.8	8.8	3.6
P82	33.9	25.5	29.9	10.6
P83	30.3	25.5	24.8	19.3
P84	71.5	15.7	10.2	2.6
P85	44.2	29.6	21.5	4.7
P86	32.5	25.5	23.0	19.0
P87R	16.1	24.5	33.9	25.5
P88	42.7	27.0	20.8	9.5
P89	66.1	16.8	10.6	6.6
P90R	58.8	14.6	13.1	13.5
P91	47.8	24.1	17.9	10.2
P92	27.0	28.8	27.7	16.4
P93	30.7	25.5	22.6	21.2
P94	42.7	19.3	22.3	15.7
P95	27.4	23.4	28.1	21.2
P96R	1.8	9.1	25.9	63.1
P97R	46.7	32.8	10.2	10.2
P98R	52.9	31.8	12.8	2.6
P99	57.3	15.0	14.6	13.1
P100	45.3	27.4	17.2	10.2
P101	44.2	19.0	25.5	11.3
P102	10.2	23.0	27.4	39.4
P103	15.7	26.3	35.8	22.3
P104	34.7	21.2	24.1	20.1
P105	31.8	25.2	29.9	13.1
P106	65.3	16.8	10.6	7.3
P107	39.1	25.2	27.7	8.0
P108	75.5	12.8	8.0	3.6
P109	8.0	18.6	28.1	45.3
P110	15.3	17.2	29.6	38.0
P111	50.4	19.7	22.3	7.7
P112	20.1	33.6	35.0	11.3
P113	55.5	26.6	13.5	4.4
P114	59.1	25.5	13.9	1.5
P115	46.7	20.8	23.4	9.1
P116	60.9	21.9	14.2	2.9
P117	16.1	27.0	33.6	23.4

P118	24.8	30.3	29.9	15.0
P119	72.3	13.9	9.9	4.0
P120	46.7	26.3	19.0	8.0
P121	26.3	28.1	32.1	13.5
P122	18.6	22.6	31.4	27.4
P123	42.0	24.5	24.5	9.1
P124	35.0	26.3	25.2	13.5
P125	74.5	14.2	9.5	1.8
P126	49.6	30.3	13.9	6.2
P127	50.4	22.6	15.7	11.3
P128	50.4	32.5	13.1	4.0
P129	60.9	21.5	12.4	5.1
P130	10.2	16.8	27.0	46.0
P131R	8.8	38.0	28.8	24.5
P132	18.6	32.1	29.9	19.3
P133	40.1	29.9	21.5	8.4
P134	88.3	8.8	2.9	0.0
P135	23.0	29.6	26.3	21.2
P136	42.7	32.1	20.4	4.7
P137	35.4	33.9	23.4	7.3
P138	41.2	26.3	19.7	12.8
P139	85.8	8.8	3.6	1.8
P140	23.7	28.8	30.7	16.8
P141	36.9	23.4	26.3	13.5
P142R	54.7	32.1	10.9	2.2
P143	76.6	10.2	9.1	4.0
P144	32.5	28.8	25.9	12.8
P145	64.6	20.1	9.9	5.5
P146	55.8	24.8	12.8	6.6
P147	37.6	31.8	19.3	11.3
P148	65.3	16.4	13.1	5.1
P149	66.4	19.0	11.3	3.3
P150	60.6	18.2	15.3	5.8
P151	46.0	26.6	17.9	9.5
P152	59.5	21.5	14.2	4.7
P153	82.5	9.9	6.9	0.7
P154	80.7	8.8	8.0	2.6
P155R	16.8	34.3	27.4	21.5
P156	66.4	19.7	12.4	1.5
P157	46.0	27.0	19.7	7.3
P158	29.2	31.0	26.6	13.1
P159	69.0	19.7	9.9	1.5
P160	69.0	16.1	10.9	4.0
P161	37.6	28.5	25.9	8.0
P162	74.5	16.4	6.9	2.2
P163	50.4	21.9	18.6	9.1
P164R	12.0	24.5	39.8	23.7
P165	21.5	24.1	34.7	19.7
P166	82.5	12.0	4.7	0.7
P167	38.3	26.3	26.6	8.8
P168	34.7	28.1	21.2	16.1
P169	66.1	15.3	13.9	4.7
P170	63.1	22.3	12.0	2.6

P171	47.8	25.5	18.2	8.4
P172	60.2	20.1	15.7	4.0
P173	57.7	24.5	14.6	3.3
P174	24.1	24.1	31.0	20.8
P175	51.5	27.7	15.7	5.1
P176	29.6	31.0	25.5	13.9
P177R	22.6	21.5	33.6	22.3
P178	80.3	10.6	6.2	2.9
P179	27.4	25.2	32.8	14.6
P180	55.8	22.3	17.9	4.0
P181	40.5	26.6	21.5	11.3
P182	48.5	26.3	16.4	8.8
P183	70.8	19.7	7.3	2.2
P184	50.4	26.6	16.8	6.2
P185	60.9	19.3	16.8	2.9
P186	37.6	25.5	25.5	11.3
P187	68.6	18.2	10.2	2.9
P188	19.3	29.2	28.5	23.0
P189	42.0	32.1	17.9	8.0
P190	44.5	25.2	21.9	8.4
P191	44.5	25.5	19.7	10.2
P192	87.2	6.2	5.8	0.7
P193	43.8	21.9	19.7	14.6
P194	54.4	17.9	19.0	8.8
P195	69.7	19.0	9.5	1.8
P196	37.6	28.1	25.5	8.8
P197	75.9	13.9	8.0	2.2
P198	94.2	4.7	1.1	0.0
P199	35.4	35.8	16.8	12.0
P200	77.0	16.1	5.1	1.8
P201	70.1	15.0	9.9	5.1
P202	36.9	33.2	23.0	6.9
P203	63.9	23.4	8.0	4.7
P204	35.0	27.4	27.0	10.6
P205	57.3	19.0	17.5	6.2
P206	77.7	14.6	7.3	0.4
P207	75.9	14.6	6.6	2.9
P208	69.0	18.6	8.0	4.4
P209	59.5	19.0	13.5	8.0
P210R	74.8	19.7	4.4	1.1
P211	54.7	26.3	15.0	4.0
P212	41.6	21.9	22.6	13.9
P213	55.5	20.1	15.3	9.1
P214	56.2	26.3	11.3	6.2
P215R	32.1	27.7	27.0	13.1
P216	50.0	28.8	15.3	5.8
P217	77.7	13.9	6.6	1.8
P218	68.6	21.9	8.4	1.1
P219	85.4	10.9	3.3	0.4
P220	27.4	24.8	33.2	14.6

0 = very false or often false; 1 = sometimes or a little false; 2 = sometimes or a little true; 3 = very true or often true; PID-5-SRS = Personality Inventory for DSM-5 - Self Reported Form; R = items with inverted scores already computed.

Supplementary Table S4 - Indicators related to the two-dimension analysis of the PID-5-SRS facets, in which unidimensionality was rejected – Online administration (n = 274)

Domain	Facets	Two-dimension Factors	χ^2 (df)	TLI	RMSEA	RMSR
NA	Emotional Lability	F1: P18. P62. P138. P181 F2: P102. 122. P165	8.40 (8)	0.999	0.012	0.01
NA	Anxiousness	F1: P79. P93. P95. 96. P130. P141. P174 F2: P109. P110	80.00 (19)	0.932	0.108	0.03
NA	Hostility	F1: P28. P38. P92. P158. P188 F2: P32. P85. P116. P170. P216	91.00 (26)	0.928	0.095	0.04
NA	Perseveration	F1: P60. P80. P121. P128. P137 F2: P46. P51. P78. P100	48.00 (19)	0.949	0.075	0.03
DET	Depressivity	F1: P27. P61. P66. P81. P86. P104. P148. P151. P163. P168. P169. P212 F2: P119. P178	456.00 (64)	0.880	0.150	0.03
DET	Suspiciousness	F1: P117. 131. P177. P190 F2: P2. P103. P13	22.00 (8)	0.931	0.079	0.04
DET	Manipulation	F1: P107. P125. P180 F2: P162. P219	29.00 (1)	0.630	0.320	0.03
DET	Deceitfulness	F1: P56. P76. P126. P134. P206. P218 F2: P41. P53. P142. P214	5392.00 (26)	-0.252	0.868	0.04
ANT	Grandiosity	F1: P40. P65. P114 F2: P179. P187. P197	7.80 (4)	0.974	0.059	0.02
ANT	Attention Seeking	F1: P111. P113. P173. P211 F2: P14. P43. P74. P191	44.00 (13)	0.958	0.093	0.02
ANT	Callousness	F1: P13. P19. P54. P72. P73. P153. P166. P183. P207. P208 F2: P198. P200	587.9 (64)	0.741	0.17	0.06
DIS	Irresponsibility	F1: P31. P156. P160. P171. P201. 210 F2: P129	22.00 (8)	0.942	0.078	0.03
DIS	Risk Taking	F1: P3. P39. P48. P67. P69. P98. P112. P159. P195 F2: P7. P35. P87. P164. P215	287.00 (64)	0.849	0.113	0.05
DIS	Rigid Perfectionism	F1: P105. P123. P135. P176 F2: P34. P49. P115. P140. P196. P220	120.00 (26)	0.908	0.117	0.04
PSY	Unusual Beliefs	F1: P99. 106. P139. P209 F2: P94. P143. P150. P194	88.00 (13)	0.832	0.145	0.05
PSY	Eccentricity	F1: P21. P24. P25. P55. P70. P172. P185 F2: P5. P33. P52. P71. P152. P205	392.30 (53)	0.893	0.153	0.02
PSY	Cognitive and Perceptual Dysregulation	F1: P36. P37. P44. P59. P77. P154. P192. P217 F2: P42. P83. 193. P213	212.20 (43)	0.856	0.120	0.05

ANT = Antagonism; DET = Detachment; df = degrees of freedom; DIS = Disinhibition; MI = modification index; NA = Negative Affect; PID-5-SRS = Personality Inventory for DSM-5 - Self Reported Form; PSY = Psychoticism; RMSEA = root mean square error of approximation; RMSR = root mean square residual; TLI = Tucker-Lewis index; χ^2 = chi-square.