

Supplementary Material

Table PAED scores at various time points in PACU.

Time point	Carbohydrate drink group (n = 39)	Control group (n = 39)	p-value
PACU – 0 minutes	7 (6–11)	7 (6–10)	0.78
PACU – 5 minutes	5 (4–6.5)	5 (4–7)	0.87
PACU – 10 minutes	4 (3–4)	4 (3–4)	0.26
PACU – 15 minutes	3 (0–3)	3 (0–3)	0.79
PACU – 20 minutes	0 (0–0)	0 (0–0)	–
PACU – 25 minutes	0 (0–0)	0 (0–0)	–
PACU – 30 minutes	0 (0–0)	0 (0–0)	–

† Values are presented as median (IQR).

‡ PACU, Post Anesthesia Care Unit.

§ Mann-Whitney *U* test was used to obtain p-values.

Table Multivariable Logistic Regression Model adjusting for potential confounders.

Variable	Adjusted OR	95% CI	p-value
Age (years)	0.88	0.60–1.28	0.50
Fasting duration for clear fluids (hours)	1.87	1.10–3.18	0.022
Preoperative anxiety score	0.98	0.94–1.1	0.28
Quality of induction	0.83	0.59–1.16	0.28
Duration of anesthesia (hours)	0.89	0.78–1.02	0.1