

Table S2: Density (ind m⁻³) of zooplankton groups at each sampling station.

Area	Beagle Channel			Staten Island		NMPA-BB			
Station	34	29	27	25	23	9	10	11	13
Copepoda	4.88	105.8	167.46	108.32	392.06	127.92	427.22	682.95	334.07
Appendicularia	19.83	51.94	69.39	15.68	3.23	1.88	10.03	48.73	19.21
Fish eggs	0.16	0.28	0.21	0.07	0.36		3.29	35.06	21.44
Euphausiacea					1.7	10.9	23.97	129.88	
Nauplii		5.98	5.61	2.79	12.34	0.36	0.52	7.53	2.54
Zoea	0.42	10.25	0.89	01.06	0.15				
Cladocera	1.89	0.64	0.07	0.2			0.2	0.16	
Polychaeta		0.07	0.03	0.27		0.45	1.38	0.99	
Fish larvae				0.54		12.87	4.29		
Brachyura larvae					1.56	1.19	1.11		
Polychaeta larvae		0.24	0.53	0.22					
Furcilia		3.77	0.86	2.92	3.96				
Calyptopis			0.89	4.19	4.43				
Gastropoda		0.21	0.17	0.13	0.58				
Amphipoda		0.07		0.2	0.62			0.64	
Anomura larvae				0.18	0.52	0.4			
Ctenophora		0.14	0.1	0.07	0.04	0.17			
Chaetognatha				0.07		0.69	0.59	0.79	
Medusozoa				0.63		1.19	0.48		
Actinula larvae				0.09	0.52	0.2			
Foraminifera			0.17						
Ostracoda				0.54					