



Supplementary information for Arratia & Quezada-Romegialli

Figure S1. Phylogenetic hypotheses based on mitochondrial, nuclear and genomics markers about the content of Percichthyidae sensu Johnson (1984). a, Jerry et al. (2001), b, Smith, Craig (2007), c, Near et al. (2012), d, Near et al. (2013), e, Betancur et al. (2013), f, Chen et al. (2014). Representatives of Percichthyidae are shown in pink, *Percilia irwini* (Perciliidae) is shown in light blue and *Percalates* (=*Macquaria*) is shown in green.





## Bibliography

- Betancur-R R, Broughton RE, Wiley EO, Carpenter K, López JA, Li C, *et al.* The tree of life and a new classification of bony fishes. *PLoS Currents Tree of Life*. 2013. DOI: 10.1371/currents.tol.53ba26640df0ccaee75bb165c8c26288)
- Betancur-R R, Wiley EO, Arratia G, Acero A, Bailly N, Miya M, *et al.* Phylogenetic classification of bony fishes. *BMC Evol Biol*. 2017. DOI: 10.1186/s12862-017-0958-3
- Chen W-J, Lavoué S, Beheregaray LB, Mayden RL. Historical biogeography of a new antitropical clade of temperate freshwater fishes. *J Biogeogr*. 2014; 41(9):1806-18.
- Jerry DR, Elphinstone MS, Baverstock PR. Phylogenetic relationships of Australian members of the family percichthyidae inferred from mitochondrial 12S rRNA sequence data. *Mol Phylogenet Evol*. 2001; 18(3):335-47.
- Lavoué S, Nakayama K, Jerry DR, Yamanoue Y, Yagishita N, Suzuki N, *et al.* Mitogenomic phylogeny of the Percichthyidae and Centrarchiformes (Percomorphaceae): Comparison with recent nuclear gene-based studies and simultaneous analysis. *Gene*. 2014; 549(1):46-57.
- Near TJ, Eytan RI, Dornbur A, Kuhn KL, Moore JA, Davis PM, *et al.* Resolution of ray-finned fish phylogeny and timing of diversification. *Proc Nat Acad Sci USA*. 2012; 109(34):13698-703.
- Near TJ, Dornbur A, Eytan RI, Keck BP, Kuhn KL, Smith WL, Kuhn KL, Moore JA, *et al.* Phylogeny and tempo of diversification in the superradiation of spiny-rayed fishes. *Proc Nat Acad Sci USA*. 2013; 110:12738-42.
- Smith WL, Craig MT. Casting the Percomorph Net Widely: The Importance of Broad Taxonomic Sampling in the Search for the Placement of Serranid and Percid Fishes. *Copeia*. 2007; 1:35–55.